CERTIFICADO ◆ 인증서 ◆ CERTIFICATO ◆ 認証書 ◆ CERTIFICATE ◆ 认证证书 ◆ ZERTIFIKAT

C E R T I F I C A T E

No. Z2 122610 0004 Rev. 00

Holder of Certificate: **Shinson Technology Co.,Ltd**
No. 502, Building 3, Zone 5, Waitan
No. 1 Garden, Hutang Town, Wujin District
213161 Changzhou City, Jiangsu
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:

Product: **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**

Mono-Crystalline Silicon Photovoltaic Module

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 701262622101-00

Valid until: 2030-10-09

Date, 2026-11-17

(Zhulin Zhang)

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

CERTIFICADO ◆ 인증서 ◆ CERTIFICATO ◆ 認証書 ◆ CERTIFICATE ◆ 认证证书 ◆ ZERTIFIKAT

C E R T I F I C A T E

No. Z2 122610 0004 Rev. 00

Model(s):

SxxxM78NT3BF(xxx=595-655 in steps of 5W)
SxxxM72NT3BF(xxx=600-620 in steps of 5W)
SxxxM66P4BF(xxx=550-570 in steps of 5W)
SxxxM60P4BF(xxx=500-520 in steps of 5W)
SxxxM54NT3BF(xxx=450-465 in steps of 5W)
SxxxM48NT3BF(xxx=365-410 in steps of 5W)
SxxxM42NT3BF(xxx=320-360 in steps of 5W)
SxxxM36NT3BF(xxx=275-310 in steps of 5W)
SxxxM66NF3BF(xxx=595-640 in steps of 5W)
SxxxM60NT3BF(xxx=540-580 in steps of 5W)
SxxxM54NT4BF(xxx=485-525 in steps of 5W)
SxxxM48NT4BF(xxx=430-465 in steps of 5W)
SxxxM66NT4BF(xxx=675-730 in steps of 5W)
SxxxM60NT4BF(xxx=615-665 in steps of 5W)
SxxxM72P3BF(xxx=555-600 in steps of 5W)
SxxxM48NT2BF(xxx=490-530 in steps of 5W)

Black series:
SxxxM78NT3BFB(xxx=595-655 in steps of 5W)
SxxxM72NT3BFB(xxx=600-620 in steps of 5W)
SxxxM66P4BFB(xxx=550-570 in steps of 5W)
SxxxM60P4BFB(xxx=500-520 in steps of 5W)
SxxxM54NT3BFB(xxx=450-465 in steps of 5W)
SxxxM48NT3BFB(xxx=365-410 in steps of 5W)
SxxxM42NT3BFB(xxx=320-360 in steps of 5W)
SxxxM36NT3BFB(xxx=275-310 in steps of 5W)
SxxxM66NF3BFB(xxx=595-640 in steps of 5W)
SxxxM60NT3BFB(xxx=540-580 in steps of 5W)
SxxxM54NT4BFB(xxx=485-525 in steps of 5W)
SxxxM48NT4BFB(xxx=430-465 in steps of 5W)
SxxxM66NT4BFB(xxx=675-730 in steps of 5W)
SxxxM60NT4BFB(xxx=615-665 in steps of 5W)
SxxxM72P3BFB(xxx=555-600 in steps of 5W)
SxxxM48NT2BFB(xxx=490-530 in steps of 5W)
xxx is standing for rated output power at STC

Parameters:

Safety Class:	Class II
Max. System Voltage:	1500V DC
Test Laboratory:	Changzhou HuaYang Inspection and Testing Technology Co., Ltd. B Area on 1/F., Building 12, C Area on 4/F., and A Area on 1/F., Building 10, No. 8, Lanxiang Road, West Taihu Science and Technology Industrial Park, Changzhou, Jiangsu, China
Construction:	Framed, double glass, with Junction box, cable and connectors.
Fire Safety Class:	Class A or C according to UL790

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

C E R T I F I C A T E

No. Z2 122610 0004 Rev. 00

Tested according to:

IEC 61215-1:2021
IEC 61215-1-1:2021
IEC 61215-2:2021
IEC 61730-1:2023
IEC 61730-2:2023

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany